

# GEKA®



PROMOTIONS 2022

## GEKA® plus drinking water set, caravan

Promotion  
Display



- Advantage/benefit: ..... **suitable for drinking water as all components are DVGW-certified perfectly hygienic filling** of drinking water tank from the dispenser to the filling spout  
**the set is preassembled** and comes in a practical storage bag
- Area of application: ..... **ideal companion for the caravan, e.g. for filling the drinking water tank**
- Material: ..... GEKA® plus push-fit connector system drinking water components:  
 brass, DIN 17660 and 50930/6; hose: PE
- Scope of delivery: ..... 5 m drinking water hose Rauaqua 1/2"; 2 x GEKA® plus hose piece 1/2"; 2 x GEKA® plus sealing plug;  
 1 x GEKA® plus tap plug 3/4"; 1 x storage bag with zip
- Options: ..... can be expanded with GEKA® plus push-fit connector system drinking water components

Packaging	in a bag
Hose ID mm	13
<b>Hose size</b>	<b>1/2"</b>
<b>Hose length m</b>	<b>5</b>
PU unit	1
<b>Article No.</b>	<b>46.1831.9</b>



### Display Caravan Sets

Quantity	Article No.	Description
1 x	<b>99.1175</b>	Basic display
1 x	<b>99.1176</b>	Hook for mounting caravan set
1 x	<b>99.1177</b>	Single hook with stopper
1 x	<b>99.1179</b>	Top poster caravan set
6 x	<b>46.1831.9</b>	GEKA® plus drinking water set

## GEKA® plus tree irrigation set

Advantage/benefit:.....**water saving up to 70%**  
**laying above ground and underground possible**  
**sustainable use of recycled materials**  
**UV-resistant, weather- and ozone-resistant,**  
**algae-free and phthalate-free**  
 the perl hose can be shortened or extended with GEKA® push-fit connector system components


Area of application:.....**tree irrigation set for water-saving irrigation of individual trees and bushes in dry periods**  
**also perfect for new plantings**, when the roots are not yet firmly anchored in the soil  
**prevents soil erosion** on a hillside thanks to metered water delivery

Material:.....perl hose: recycled plastic; GEKA® plus push-fit connector system components: brass, chrome-plated;  
 hose clamp: stainless steel

Temperature range:.....approx. +4 °C to +50 °C

Options: .....hose piece with ball valve (46.0851.8) for regulating the amount of water (not included in the scope of delivery)

Packaging	Single product on card, packaging unit with blister strip
Hose ID mm	13
<b>Hose size</b>	<b>1/2"</b>
<b>Hose length m</b>	<b>1.5</b>
Tree diameter max. cm	40
Water flow at 0.6 bar l/h	6-12
PU unit	5
<b>Article No.</b>	<b>17.1010.8</b>



Display tree irrigation sets		
Quantity	Article No.	Description
1 x	<b>99.1175</b>	Basic display
3 x	<b>99.1177</b>	Single hook with stopper
1 x	<b>99.1180</b>	Top poster tree irrigation
20 x	<b>17.1010.8</b>	GEKA® plus tree irrigation set



## GEKA® rain barrel connection set

Advantage/benefit:..... **for installation at rain barrels**  
ideal for the provision of large amounts of water

Material:..... ball bibcock housing: brass nickel-plated;  
ball bibcock lever: aluminium; rain barrel connection: brass;  
thread tape: Teflon

Scope of delivery:..... 1 x ball bibcock; 1 x rain barrel connection;  
1 x thread tape



Packaging	Single product in PE pouch with euro holes, packaging unit with blister strip	
<b>for hole diameter mm</b>	<b>27 - 30</b>	<b>34 - 37</b>
Rain barrel connection male thread mm	26.44	33.25
<b>Rain barrel connection male thread</b>	<b>G3/4</b>	<b>G1</b>
Rain barrel connection female thread mm	19.17	24.66
<b>Rain barrel connection female thread</b>	<b>G1/2</b>	<b>G3/4</b>
Male thread at inlet mm	20.95	26.44
<b>Male thread at inlet</b>	<b>G1/2</b>	<b>G3/4</b>
Male thread at outlet mm	26.44	33.25
<b>Male thread at outlet</b>	<b>G3/4</b>	<b>G1</b>
Nominal width (NW) mm	13	19
<b>Nominal size</b>	<b>1/2"</b>	<b>3/4"</b>
PU unit	6	6
<b>Article No.</b>	<b>35.3505.8</b>	<b>35.3506.8</b>

## GEKA® ball bibcock set

Advantage/benefit:..... **for installation at rain barrels**  
ideal for the provision of large amounts of water

Material:..... ball bibcock housing: brass nickel-plated;  
ball bibcock lever: aluminium; rain barrel connection: brass;  
thread tape: Teflon

Scope of delivery:..... 1 x ball bibcock; 1 x thread tape



Packaging	Single product in PE pouch with euro holes, packaging unit with blister strip	Single product in PE pouch with euro holes, packaging unit with blister strip
Male thread at inlet mm	20.95	26.44
<b>Male thread at inlet</b>	<b>G1/2</b>	<b>G3/4</b>
Male thread at outlet mm	26.44	33.25
<b>Male thread at outlet</b>	<b>G3/4</b>	<b>G1</b>
Nominal width (NW) mm	13	19
<b>Nominal size</b>	<b>1/2"</b>	<b>3/4"</b>
PU unit	6	6
<b>Article No.</b>	<b>35.3507.8</b>	<b>35.3508.8</b>

## GEKA® rain barrel connection set grommet 90°

Advantage/benefit:..... **for installation at rain barrels**

Material:..... rain barrel connection: brass; hose clamp:  
stainless steel, hexagon screw: steel chromated;  
thread tape: Teflon

Scope of delivery:..... 1 x rain barrel connection; 1 x angular piece 90°;  
1 x 1/3 threaded hose fitting; 1 x hose clamp;  
1 x thread tape



Packaging	Single product in PE pouch with euro holes, packaging unit with blister strip
<b>for hole diameter mm</b>	<b>34 - 37</b>
Male thread in mm	33.25
<b>Male thread</b>	<b>G1</b>
Hose ID mm	19
<b>Hose size</b>	<b>3/4"</b>
PU unit	6
<b>Article No.</b>	<b>30.0025.8</b>

## GEKA® rain barrel connection set grommet

Advantage/benefit: ..... **for installation at rain barrels**  
 Material: ..... rain barrel connection: brass; hose clamp:  
 stainless steel, hexagon screw: steel chromated;  
 thread tape: Teflon  
 Scope of delivery: ..... 1 x rain barrel connection; 1 x 1/3 threaded hose fitting;  
 1 x hose clamp; 1 x thread tape

Packaging	Single product in PE pouch with euro holes, packaging unit with blister strip	
<b>for hole diameter mm</b>	<b>34 - 37</b>	
Male thread in mm	33.25	
<b>Male thread</b>	<b>G1</b>	
Hose ID mm	19	
<b>Hose size</b>	<b>3/4"</b>	
PU unit	6	
<b>Article No.</b>	<b>30.0024.8</b>	



## GEKA® rain barrel connector set

Advantage/benefit: ..... **for connecting rain barrels**  
 Material: ..... suction/pressurised spiral hose: plastic PVC green;  
 rain barrel connection: brass; hose clamps: stainless steel,  
 hexagon screw: steel chromated  
 Scope of delivery: ..... 1 x 25 cm suction/pressurised spiral hose 1";  
 2 x rain barrel connection IG 3/4 x AG1; 2 x 2/3 threaded  
 hose fitting IG G1; 2 x hose clamps 20-32 mm

Packaging	Single product in PE pouch with euro holes, packaging unit with blister strip	
<b>for hole diameter mm</b>	<b>34 - 37</b>	
Male thread in mm	33.25	
<b>Male thread</b>	<b>G1</b>	
Hose ID mm	25	
<b>Hose size</b>	<b>1"</b>	
<b>Hose length approx. m</b>	<b>0.25</b>	
PU unit	6	
<b>Article No.</b>	<b>30.0030.8</b>	



### Display rain barrel sets

Quantity	Article No.	Description
1 x	<b>99.1175</b>	Basic display
4 x	<b>99.1178</b>	Double hook with stopper
1 x	<b>99.1181</b>	Top poster rain barrel sets
6 x	<b>30.0024.8</b>	Rain barrel connection set grommet
6 x	<b>30.0025.8</b>	Rain barrel connection set grommet 90°
6 x	<b>35.3505.8</b>	Rain barrel connection set G3/4
6 x	<b>35.3506.8</b>	Rain barrel connection set G1
6 x	<b>35.3507.8</b>	Ball bibcock set G1/2
6 x	<b>35.3508.8</b>	Ball bibcock set G3/4
12 x	<b>30.0030.8</b>	Rain barrel connector set

### Promotion Display



Promotion  
Display



### Display pillar push-fit connector system


Quantity	Article No.	Description
1 x	<b>99.1173</b>	Display pillar with 4 compartments incl. 4 dividers
6 x	<b>99.1183</b>	Stones for weighing down

### Mounting suggestion – push-fit connector system nickel-plated

Quantity	Article No.	Description
50 x	<b>46.0701.9</b>	GEKA® plus hose piece push-fit system 1/2"
50 x	<b>46.0713.9</b>	GEKA® plus tap plug push-fit system G1
10 x	<b>46.0740.9</b>	GEKA® plus gun-type spray nozzle push-fit system
50 x	<b>46.0711.9</b>	GEKA® plus tap plug push-fit system G3/4
50 x	<b>46.0741.9</b>	GEKA® plus hose piece push-fit system 1/2"
10 x	<b>46.0431.9</b>	GEKA® plus two-way valve push-fit system
50 x	<b>46.0710.9</b>	GEKA® plus tap plug push-fit system G1/2
5 x	<b>17.0000.9</b>	Multi-shower 7 S

### Mounting suggestion – push-fit connector system chrome-plated

Quantity	Article No.	Description
50 x	<b>46.0801.9</b>	GEKA® plus hose piece push-fit system 1/2"
50 x	<b>46.0813.9</b>	GEKA® plus tap plug push-fit system G1
10 x	<b>46.0740.9</b>	GEKA® plus gun-type spray nozzle push-fit system
50 x	<b>46.0811.9</b>	GEKA® plus tap plug push-fit system G3/4
50 x	<b>46.0841.9</b>	GEKA® plus hose piece push-fit system 1/2"
10 x	<b>46.0431.9</b>	GEKA® plus two-way valve push-fit system
50 x	<b>46.0810.9</b>	GEKA® plus tap plug push-fit system G1/2
5 x	<b>17.0000.9</b>	Multi-shower 7 S



Promotion  
Display



Promotion  
Display

## Watering wand stand Z shape

Quantity	Article No.	Description
1x	<b>99.1125</b>	Stand Z shape incl. hooks
optional with 24 of the following watering wands:		
12x	<b>50.5470.9</b>	Watering wand Easy Rain 20 cm*
12x	<b>50.5471.9</b>	Watering wand Easy Rain 60 cm*
or		
12x	<b>50.5456.9</b>	Watering wand Light 20 cm
12x	<b>50.5455.9</b>	Watering wand Light 60 cm

## Watering wand stand U shape

Quantity	Article No.	Description
1x	<b>99.1126</b>	Stand U shape
1x	<b>99.1128</b>	3 hooks
1x	<b>99.1129</b>	4 hooks
optional with 24 of the following watering wands:		
12x	<b>50.5470.9</b>	Watering wand Easy Rain 20 cm*
12x	<b>50.5471.9</b>	Watering wand Easy Rain 60 cm*
or		
12x	<b>50.5456.9</b>	Watering wand Light 20 cm
12x	<b>50.5455.9</b>	Watering wand Light 60 cm



## GEKA® Watering wand Light

Advantage/benefit: **light watering wand with slide valve** for quantity adjustment for convenient application with soft water spray for gentle **watering using one hand**

Material: ..... watering head, outlet pipe, union nut: light metal; body valve: zinc-aluminium alloy; ergonomic handle: plastic; bayonet catch: brass; push-fit connector: brass, chrome-plated

Packaging	Card	Card
Pipe length in cm	20	60
PU unit	1	1
<b>Article No.</b>	<b>50.5454.8</b>	<b>50.5453.8</b>



## GEKA® Watering wand Easy Rain

Advantage/benefit: **light watering wand with handle valve** for convenient application allows **impulse watering** or with actuated locking mechanism continuous gentle watering of plants with rotary knob for **quantity adjustment**

Material: ..... watering head, outlet pipe, union nut: light metal; body valve: zinc-aluminium alloy; handle: plastic; bayonet catch: brass; push-fit connector: brass, chrome-plated

Packaging	Card	Card
Pipe length in cm	20	60
PU unit	1	1
<b>Article No.</b>	<b>50.5470.8</b>	<b>50.5471.8</b>



## Sprinkler display quarter-pallet – 3-arm circular sprinkler



Promotion  
Display



Quantity	Article No.	Description
1x	17.0009.9	Display with 24 x 3-arm circular sprinklers

### 3-arm circular sprinkler

**robust, three-arm circular sprinkler made from metal**  
**very long-lasting** thanks to corrosion-resistant chrome-plated parts  
**series connection** of several circular sprinklers with additional connection option  
**ideal stability** in the meadow, field, etc. maximum contact area with round foot  
**very long-lasting** thanks to chrome-plated brass push-fit connector  
**compatible** with all push-fit connector systems available on the market

Sprinkling area at 2 bar max. m <sup>2</sup>	79
Sprinkling area ø at 2 bar m	10
Sprinkling area at 4 bar max. m <sup>2</sup>	113
Sprinkling area ø at 4 bar m	12
Packaging	Box
PU unit	1
<b>Article No.</b>	<b>17.0005.9</b>



## Sprinkler display quarter-pallet – circular and sector sprinkler Multi



Promotion Display



### Circular and sector sprinkler Multi

**4 spray patterns** for different watering  
**adjustable jet length**  
**watering of circular areas or individually adjustable circle segments**  
**series connection** of several circular sprinklers with additional connection option  
**ideal stability** in the meadow, field, etc. maximum contact area with round metal foot  
**very long-lasting** thanks to chrome-plated brass push-fit connector  
**compatible** with all push-fit connector systems available on the market

Quantity	Article No.	Description
1x	17.0010.9	Display with 30 x circular and sector sprinklers Multi

Sprinkling area at 2 bar max. m <sup>2</sup>	3 - 201
Sprinkling area ø at 2 bar m	2 - 16
Sprinkling area at 4 bar max. m <sup>2</sup>	7 - 531
Sprinkling area ø at 4 bar m	3 - 26
Packaging	Box
PU unit	1
<b>Article No.</b>	<b>17.0006.9</b>



Adjustment of spray type



Adjustment of jet length



Adjustment of watering width



## Sprinkler display quarter-pallet – rectangular sprinkler



Promotion Display



Quantity	Article No.	Description
1x	17.0011.9	Display with 24 x rectangular sprinklers

### Rectangular sprinkler

**robust rectangular sprinkler made from aluminium  
brass nozzles  
adjustable sprinkling width  
quantity adjustment  
incl. pin for nozzle cleaning**

Sprinkling area at 3 bar min. m <sup>2</sup>	approx. 30* (10 x 3 m)
Sprinkling area at 3 bar max. m <sup>2</sup>	approx. 399* (19 x 21 m)
Packaging	Box
PU unit	1
<b>Article No.</b>	<b>17.0008.9</b>

\*Depending on the setting of the sprinkling width and (water) amount



## GEKA® plus hose trolley P25SST display pallet



Promotion Display



Quantity	Article No.	Description
1x	42.8546	Pallet with 6 hose trolleys P25SST

## GEKA® plus hose trolley P25SST

Advantage/benefit: .....**robust, powder-coated steel structure**  
**light and easy to handle with ergonomic grip height**  
**optimised frame construction for guaranteed secure stand**  
**and easy manoeuvrability**  
**non-slip solid rubber tyres for comfortable transport**  
**practical accessory rack to hold a nozzle**  
**tool-free installation and disassembly of handle for quick and compact storage in winter**  
**quick and simple set-up, no additional tools required**  
 with GEKA® plus push-fit connectors, inner and outer  
**with 25 m GEKA® plus water hose 110 1/2", high-quality, robust push-fit system and spray nozzle made from brass + 1.5 m supply hose**

Material: .....frame: powder-coated steel pipe; handrail, tyres: rubber black; device mounting, crank handle: plastic green; supply pipe: stainless steel; GEKA® plus push-fit connectors: brass, chrome-plated

Temperature range:.....+4 to +60 °C (hose-dependent)

Dimensions cm: .....41 x 99 x 39


Special note: .....preassembled; spare parts are available on request

Connection	GEKA® plus push-fit connector
Hose length approx. m	25
Weight approx. kg	12
PU unit	1
<b>Article No.</b>	<b>42.8506.9</b>





KARASTO Armaturenfabrik Oehler GmbH  
Manfred-von-Ardenne-Allee 27  
71522 Backnang | Germany

 +49 7191 34 52 - 0

 +49 7191 34 52 - 100

 [info@geka.de](mailto:info@geka.de)

 [www.geka.de](http://www.geka.de)

The GEKA® brand is a registered trademark of KARASTO Armaturenfabrik Oehler GmbH, Germany.