



GEKA®



PROMOTIONS 2023

GEKA® drip system - Secondary Placement Display

The whole GEKA® Drip System on Display on a europalett.

Sturdy metal

Fully assembled and delivered ready-for-use

Color coding system for easy orientation

Large communication area with sample applications and QR-Code to tutorial Videos



Quantity	Article No.	Description
12 x	17.0110.8	Watering set, balcony and terrace
12 x	17.0111.8	Watering set, vegetables and flower beds
12 x	17.0112.8	Supply pipe 6 mm
6 x	17.0113.8	Drip tube 6 mm
18 x	17.0114.8	Pipe support 6 mm
15 x	17.0115.8	Inline drip tube 6 mm
18 x	17.0116.8	Pipe connector set 6 mm
10 x	17.0117.8	Pressure reducer set 6 mm
5 x	17.0120.9	Watering set, hedges and flower beds
2 x	17.0121.9	Supply pipe 16 mm
4 x	17.0122.9	Drip tube 16 mm
15 x	17.0123.8	Pipe support 16 mm
10 x	17.0124.8	Pipe connector Set 16 mm
10 x	17.0125.8	Pressure reducer set 16 mm
4 x	17.0101.8	Water timer
4 x	17.0102.8	Water computer
4 x	17.0103.8	Water computer digital
10 x	46.0435.8	GEKA® plus two-way valves vertical with male thread



Here you find tutorials
of our drip watering sets

GEKA® plus professional cleaning guns

Advantage / benefit: **consumes approx. 25% less water and features a higher cleaning power compared to conventional cleaning guns suitable for drinking water, as the water-conducting components meet the German drinking water ordinance robust brass/stainless steel combination guarantees long service life**
 Ergonomic design for fatigue-free work
 the rubber-coated grip insulates against cold and heat and absorbs impacts
 the EPDM rubber coating is resistant to acids and alkalis
easy adjustment of the jet spray via a rotary knob – no tools required
 locking catch on the control lever facilitates continuous operation

Material: housing: brass; valve insert: stainless steel;
 rubber coating: EPDM, blue

Operating pressure: **max. 30 bar**

Temperature range: max. 50 °C

Seal: seals for drinking water, DIN EN 16421 and KTW BWGL

Jet type: infinitely adjustable jet, from concentrated jet to soft spray by means of depressing the ergonomic control lever at different forces

Area of application: **perfect for cleaning industrial, commercial and agricultural applications**

Special note: 23.1890.9 suitable for all GEKA® plus thread pieces and swivel joints with G1/2 male thread

Weight: approx. 800 g

Female thread in mm	19,17
Female thread	G1/2
Flow volume at 3 bar l/min	17
Flow volume at 5 bar l/min	21
PU units	1
Covering box units	12
Item no.	23.1890.9



Counter display

Quantity	Article No.	Description
1 x	99.1208	Counter display english with 5 cleaning guns
1 x	99.1207	Counter display german with 5 cleaning guns
1 x	99.1209	Counter display french with 5 cleaning guns



GEKA® plus drinking water set, caravan

- Advantage/benefit: **suitable for drinking water as all components are DVGW-certified perfectly hygienic filling** of drinking water tank from the dispenser to the filling spout
the set is preassembled and comes in a practical storage bag
- Area of application: **ideal companion for the caravan, e.g. for filling the drinking water tank**
- Material: GEKA® plus push-fit connector system drinking water components:
 brass, DIN 17660 and 50930/6; hose: PE
- Scope of delivery: 5 m drinking water hose Rauaqua 1/2"; 2 x GEKA® plus hose piece 1/2"; 2 x GEKA® plus sealing plug;
 1 x GEKA® plus tap plug 3/4"; 1 x storage bag with zip
- Options: can be expanded with GEKA® plus push-fit connector system drinking water components

Promotion
Display



Packaging	in a bag	in a bag
Hose ID mm	13	13
Hose size	1/2"	1/2"
Hose length m	5	10
PU unit	1	1
Article No.	46.1831.9	46.1833.9



Display Caravan-Sets

Quantity	Article No.	Description
1 x	99.1175	Basic display
1 x	99.1176	Hook for mounting caravan set
1 x	99.1177	Single hook with stopper
1 x	99.1179	Top poster caravan set

Mounting suggestion - 5 m

Quantity	Article No.	Description
6 x	46.1831.9	GEKA® plus drinking water set 5 m

Mounting suggestion - 10 m

Quantity	Article No.	Description
6 x	46.1833.9	GEKA® plus drinking water set 10 m

Mounting suggestion - 5 and 10 m

Quantity	Article No.	Description
3 x	46.1831.9	GEKA® plus drinking water set 5 m
3 x	46.1833.9	GEKA® plus drinking water set 10 m

GEKA® plus tree irrigation set

Advantage/benefit:.....**water saving up to 70%**
laying above ground and underground possible
sustainable use of recycled materials
UV-resistant, weather- and ozone-resistant,
algae-free and phthalate-free
 the perl hose can be shortened or extended with GEKA® push-fit connector system components

Area of application:.....**tree irrigation set for water-saving irrigation of individual trees and bushes in dry periods**
also perfect for new plantings, when the roots are not yet firmly anchored in the soil
prevents soil erosion on a hillside thanks to metered water delivery


Material:.....perl hose: recycled plastic; GEKA® plus push-fit connector system components: brass, chrome-plated;
 hose clamp: stainless steel

Temperature range:.....approx. +4 °C to +50 °C

Options:hose piece with ball valve (46.0851.8) for regulating the amount of water (not included in the scope of delivery)

Packaging	Single product on card, packaging unit with blister strip
Hose ID mm	13
Hose size	1/2"
Hose length m	1.5
Tree diameter max. cm	40
Water flow at 0.6 bar l/h	6-12
PU unit	5
Article No.	17.1010.8

Promotion Display




Display tree irrigation sets

Quantity	Article No.	Description
1 x	99.1175	Basic display
3 x	99.1177	Single hook with stopper
1 x	99.1180	Top poster tree irrigation
20 x	17.1010.8	GEKA® plus tree irrigation set



GEKA® rain barrel connection set



Advantage/benefit: **for installation at rain barrels**
ideal for the provision of large amounts of water

Material: ball bibcock housing: brass nickel-plated;
ball bibcock lever: aluminium; rain barrel connection: brass;
thread tape: Teflon

Scope of delivery: 1 x ball bibcock; 1 x rain barrel connection;
1 x thread tape

Packaging	Single product in PE pouch with euro holes, packaging unit with blister strip	
for hole diameter mm	27 - 30	34 - 37
Rain barrel connection male thread mm	26.44	33.25
Rain barrel connection male thread	G3/4	G1
Rain barrel connection female thread mm	19.17	24.66
Rain barrel connection female thread	G1/2	G3/4
Male thread at inlet mm	20.95	26.44
Male thread at inlet	G1/2	G3/4
Male thread at outlet mm	26.44	33.25
Male thread at outlet	G3/4	G1
Nominal width (NW) mm	13	19
Nominal size	1/2"	3/4"
PU unit	6	6
Article No.	35.3505.8	35.3506.8

GEKA® ball bibcock set



Advantage/benefit: **for installation at rain barrels**
ideal for the provision of large amounts of water

Material: ball bibcock housing: brass nickel-plated;
ball bibcock lever: aluminium; rain barrel connection: brass;
thread tape: Teflon

Scope of delivery: 1 x ball bibcock; 1 x thread tape

Packaging	Single product in PE pouch with euro holes, packaging unit with blister strip	Single product in PE pouch with euro holes, packaging unit with blister strip
Male thread at inlet mm	20.95	26.44
Male thread at inlet	G1/2	G3/4
Male thread at outlet mm	26.44	33.25
Male thread at outlet	G3/4	G1
Nominal width (NW) mm	13	19
Nominal size	1/2"	3/4"
PU unit	6	6
Article No.	35.3507.8	35.3508.8

GEKA® rain barrel connection set grommet 90°



Advantage/benefit: **for installation at rain barrels**

Material: rain barrel connection: brass; hose clamp: stainless steel, hexagon screw: steel chromated;
thread tape: Teflon

Scope of delivery: 1 x rain barrel connection; 1 x angular piece 90°;
1 x 1/3 threaded hose fitting; 1 x hose clamp;
1 x thread tape

Packaging	Single product in PE pouch with euro holes, packaging unit with blister strip
for hole diameter mm	34 - 37
Male thread in mm	33.25
Male thread	G1
Hose ID mm	19
Hose size	3/4"
PU unit	6
Article No.	30.0025.8

GEKA® rain barrel connection set grommet

Advantage/benefit: **for installation at rain barrels**
 Material: rain barrel connection: brass; hose clamp:
 stainless steel, hexagon screw: steel chromated;
 thread tape: Teflon
 Scope of delivery: 1 x rain barrel connection; 1 x 1/3 threaded hose fitting;
 1 x hose clamp; 1 x thread tape

Packaging	Single product in PE pouch with euro holes, packaging unit with blister strip	
for hole diameter mm	34 - 37	
Male thread in mm	33.25	
Male thread	G1	
Hose ID mm	19	
Hose size	3/4"	
PU unit	6	
Article No.	30.0024.8	



GEKA® rain barrel connector set

Advantage/benefit: **for connecting rain barrels**
 Material: suction/pressurised spiral hose: plastic PVC green;
 rain barrel connection: brass; hose clamps: stainless steel,
 hexagon screw: steel chromated
 Scope of delivery: 1 x 25 cm suction/pressurised spiral hose 1";
 2 x rain barrel connection IG 3/4 x AG1; 2 x 2/3 threaded
 hose fitting IG G1; 2 x hose clamps 20-32 mm


Packaging	Single product in PE pouch with euro holes, packaging unit with blister strip	
for hole diameter mm	34 - 37	
Male thread in mm	33.25	
Male thread	G1	
Hose ID mm	25	
Hose size	1"	
Hose length approx. m	0.25	
PU unit	6	
Article No.	30.0030.8	



Display rain barrel sets

Quantity	Article No.	Description
1 x	99.1175	Basic display
4 x	99.1178	Double hook with stopper
1 x	99.1181	Top poster rain barrel sets
6 x	30.0024.8	Rain barrel connection set grommet
6 x	30.0025.8	Rain barrel connection set grommet 90°
6 x	35.3505.8	Rain barrel connection set G3/4
6 x	35.3506.8	Rain barrel connection set G1
6 x	35.3507.8	Ball bibcock set G1/2
6 x	35.3508.8	Ball bibcock set G3/4
12 x	30.0030.8	Rain barrel connector set

Promotion
Display



available
now



Display pillar push-fit connector system

Quantity	Article No.	Description
1 x	99.1173	Display pillar with 4 compartments incl. 4 dividers
6 x	99.1183	Stones for weighing down

Mounting suggestion – push-fit connector system nickel-plated

Quantity	Article No.	Description
50 x	46.0701.9	GEKA® plus hose piece push-fit system 1/2"
50 x	46.0713.9	GEKA® plus tap plug push-fit system G1
10 x	46.0740.9	GEKA® plus gun-type spray nozzle push-fit system
50 x	46.0711.9	GEKA® plus tap plug push-fit system G3/4
50 x	46.0741.9	GEKA® plus hose piece push-fit system 1/2"
10 x	46.0431.9	GEKA® plus two-way valve push-fit system
50 x	46.0710.9	GEKA® plus tap plug push-fit system G1/2
5 x	17.0000.9	Multi-shower 7 S

Mounting suggestion – push-fit connector system chrome-plated

Quantity	Article No.	Description
50 x	46.0801.9	GEKA® plus hose piece push-fit system 1/2"
50 x	46.0813.9	GEKA® plus tap plug push-fit system G1
10 x	46.0740.9	GEKA® plus gun-type spray nozzle push-fit system
50 x	46.0811.9	GEKA® plus tap plug push-fit system G3/4
50 x	46.0841.9	GEKA® plus hose piece push-fit system 1/2"
10 x	46.0431.9	GEKA® plus two-way valve push-fit system
50 x	46.0810.9	GEKA® plus tap plug push-fit system G1/2
5 x	17.0000.9	Multi-shower 7 S

Boiler filling set

Area of application: **for refilling and emptying the water in boilers**
 Scope of delivery: 5 m GEKA® flex water hose, 1/2" (13 mm) with fabric insert
 2 x GEKA® 2/3-threaded hose fitting
 2 x Two-ear-clamp
 1 x GEKA® plus wall-mounted hose support P, light metal powder-coated



Packaging	Box
Hose ID mm	13
Hose size	1/2"
Hose length approx. m	5
PU unit	1
Article No.	13.8214.9

*only while stocks last



Watering wand stand Z shape

Quantity	Article No.	Description
1x	99.1125	Stand Z shape incl. hooks
optional with 24 of the following watering wands:		
12x	50.5470.9	Watering wand Easy Rain 20 cm*
12x	50.5471.9	Watering wand Easy Rain 60 cm*
or		
12x	50.5456.9	Watering wand Light 20 cm
12x	50.5455.9	Watering wand Light 60 cm

Watering wand stand U shape

Quantity	Article No.	Description
1x	99.1126	Stand U shape
1x	99.1128	3 hooks
1x	99.1129	4 hooks
optional with 24 of the following watering wands:		
12x	50.5470.9	Watering wand Easy Rain 20 cm*
12x	50.5471.9	Watering wand Easy Rain 60 cm*
or		
12x	50.5456.9	Watering wand Light 20 cm
12x	50.5455.9	Watering wand Light 60 cm



GEKA® Watering wand Light

Advantage/benefit: **light watering wand with slide valve** for quantity adjustment for convenient application with soft water spray for gentle **watering using one hand**

Material: watering head, outlet pipe, union nut: light metal; body valve: zinc-aluminium alloy; ergonomic handle: plastic; bayonet catch: brass; push-fit connector: brass, chrome-plated

Packaging	Card	Card
Pipe length in cm	20	60
PU unit	1	1
Article No.	50.5454.8	50.5453.8

GEKA® Watering wand Easy Rain

Advantage/benefit: **light watering wand with handle valve** for convenient application allows **impulse watering** or with actuated locking mechanism continuous gentle watering of plants with rotary knob for **quantity adjustment**

Material: watering head, outlet pipe, union nut: light metal; body valve: zinc-aluminium alloy; handle: plastic; bayonet catch: brass; push-fit connector: brass, chrome-plated

Packaging	Card	Card
Pipe length in cm	20	60
PU unit	1	1
Article No.	50.5470.8	50.5471.8



Sprinkler display quarter-pallet – 3-arm circular sprinkler



Quantity	Article No.	Description
1x	17.0009.9	Display with 24 x 3-arm circular sprinklers

3-arm circular sprinkler

robust, three-arm circular sprinkler made from metal
very long-lasting thanks to corrosion-resistant chrome-plated parts
series connection of several circular sprinklers with additional connection option
ideal stability in the meadow, field, etc. maximum contact area with round foot
very long-lasting thanks to chrome-plated brass push-fit connector
compatible with all push-fit connector systems available on the market

Sprinkling area at 2 bar max. m ²	79
Sprinkling area ø at 2 bar m	10
Sprinkling area at 4 bar max. m ²	113
Sprinkling area ø at 4 bar m	12
Packaging	Box
PU unit	1
Article No.	17.0005.9

Sprinkler display quarter-pallet – circular and sector sprinkler Multi



Promotion Display



Circular and sector sprinkler Multi

4 spray patterns for different watering
adjustable jet length
watering of circular areas or individually adjustable circle segments
series connection of several circular sprinklers with additional connection option
ideal stability in the meadow, field, etc. maximum contact area with round metal foot
very long-lasting thanks to chrome-plated brass push-fit connector
compatible with all push-fit connector systems available on the market

Quantity	Article No.	Description
1x	17.0010.9	Display with 30 x circular and sector sprinklers Multi

Sprinkling area at 2 bar max. m ²	3 - 201
Sprinkling area ø at 2 bar m	2 - 16
Sprinkling area at 4 bar max. m ²	7 - 531
Sprinkling area ø at 4 bar m	3 - 26
Packaging	Box
PU unit	1
Article No.	17.0006.9



Adjustment of spray type



Adjustment of jet length



Adjustment of watering width



Sprinkler display quarter-pallet – rectangular sprinkler



Promotion
Display



Quantity	Article No.	Description
1x	17.0011.9	Display with 24 x rectangular sprinklers

Rectangular sprinkler

**robust rectangular sprinkler made from aluminium
brass nozzles
adjustable sprinkling width
quantity adjustment
incl. pin for nozzle cleaning**

Sprinkling area at 3 bar min. m ²	approx. 30* (10 x 3 m)
Sprinkling area at 3 bar max. m ²	approx. 399* (19 x 21 m)
Packaging	Box
PU unit	1
Article No.	17.0008.9

*Depending on the setting of the sprinkling width and (water) amount



Full Middle Right Left

GEKA® plus hose trolley P25SST display pallet



Promotion Display



Quantity	Article No.	Description
1x	42.8546	Pallet with 6 hose trolleys P25SST

GEKA® plus hose trolley P25SST

Advantage/benefit:**robust, powder-coated steel structure**
light and easy to handle with ergonomic grip height
optimised frame construction for guaranteed secure stand
and easy manoeuvrability
non-slip solid rubber tyres for comfortable transport
practical accessory rack to hold a nozzle
tool-free installation and disassembly of handle for quick and compact storage in winter
quick and simple set-up, no additional tools required
 with GEKA® plus push-fit connectors, inner and outer
with 25 m GEKA® plus water hose 110 1/2", high-quality, robust push-fit system and spray nozzle made from brass + 1.5 m supply hose

Material:frame: powder-coated steel pipe; handrail, tyres: rubber black; device mounting, crank handle: plastic green; supply pipe: stainless steel; GEKA® plus push-fit connectors: brass, chrome-plated

Temperature range:.....+4 to +60 °C (hose-dependent)

Dimensions cm:41 x 99 x 39


Special note:preassembled; spare parts are available on request

Connection	GEKA® plus push-fit connector
Hose length approx. m	25
Weight approx. kg	12
PU unit	1
Article No.	42.8506.9





KARASTO Armaturenfabrik Oehler GmbH
Manfred-von-Ardenne-Allee 27
71522 Backnang | Germany

 +49 7191 34 52 - 0

 +49 7191 34 52 - 100

 info@geka.de

 www.geka.de/en

The GEKA® brand is a registered trademark of KARASTO Armaturenfabrik Oehler GmbH, Germany.