

GEKA® plus IBC adapter

available now

GEKA® plus IBC adapter

Advantages / benefits: For mounting on IBC containers with an outlet tap with S60x6 coarse thread
Robust and durable thanks to metal design
Easy installation and alignment of the position thanks to 360° rotatable inner ring



Material: IBC adapter: aluminium; flat seal: NBR

Scope of delivery: 1 x IBC adapter

Packaging: Single product in PE pouch with euro holes, packaging unit with blister strip



IBC adapter connection	S60x6
IBC adapter female thread	G3/4
IBC adapter female thread mm	24,66
PU units	6
Item no.	30.0040.8



The 360° rotatable inner ring of the IBC adapter makes it easy to mount and align all components.



GEKA® plus IBC adapter

available now

GEKA® plus IBC adapter set grommet

Advantages / benefits: For mounting on IBC containers with an outlet tap with S60x6 coarse thread
Robust and durable thanks to metal design
Easy installation and alignment of the position thanks to 360° rotatable inner ring
 With grommet for water withdrawal with a hose

Material: IBC adapter: aluminium; flat seal: NBR; grommet: brass

Scope of delivery: 1 x IBC adapter; 1 x GEKA® 1/3-threaded hose fitting

Packaging: Single product in PE pouch with euro holes, packaging unit with blister strip

IBC adapter connection	S60x6
IBC adapter female thread	G3/4
IBC adapter female thread mm	24,66
Grommet male thread	G3/4
Grommet male thread mm	26,44
Hose size	3/4"
Hose ID mm	19
PU units	6
Item no.	30.0041.8



available now

GEKA® plus IBC adapter set quick coupling

Advantages / benefits: For mounting on IBC containers with an outlet tap with S60x6 coarse thread
Robust and durable thanks to metal design
Easy installation and alignment of the position thanks to 360° rotatable inner ring
 With GEKA® coupling for water withdrawal with a hose with GEKA® claw coupling

Material: IBC adapter: aluminium; flat seal: NBR; quick coupling: brass

Scope of delivery: 1 x IBC adapter; 1 x GEKA® threaded fitting

Packaging: Single product in PE pouch with euro holes, packaging unit with blister strip

IBC adapter connection	S60x6
IBC adapter female thread	G3/4
IBC adapter female thread mm	24,66
Quick coupling male thread	G3/4
Quick coupling male thread mm	26,44
PU units	6
Item no.	30.0042.8



available now

GEKA® plus IBC adapter set plug

Advantages / benefits: For mounting on IBC containers with an outlet tap with S60x6 coarse thread
Robust and durable thanks to metal design
Easy installation and alignment of the position thanks to 360° rotatable inner ring
 With plug for water withdrawal with a hose with plug-in system

Material: IBC adapter: aluminium; flat seal: NBR; plug: brass, chrome-plated

Scope of delivery: 1 x IBC adapter; 1 x device plug

Packaging: Single product in PE pouch with euro holes, packaging unit with blister strip

IBC adapter connection	S60x6
IBC adapter female thread	G3/4
IBC adapter female thread mm	24,66
Plug male thread	G3/4
Plug male thread mm	26,44
PU units	6
Item no.	30.0043.8



GEKA® plus IBC adapter

available now

GEKA® plus IBC adapter set ball bibcock

Advantages / benefits: For mounting on IBC containers with an outlet tap with S60x6 coarse thread
Robust and durable thanks to metal design
Easy installation and alignment of the position thanks to 360° rotatable inner ring
 With ball bibcock for direct water withdrawal or for use with a hose

Material: IBC adapter: aluminium; seal: NBR; ball bibcock housing: brass chrome-plated; ball bibcock lever: aluminium

Scope of delivery: 1 x IBC adapter; 1 x ball bibcock

Packaging: Single product in PE pouch with euro holes, packaging unit with blister strip



IBC adapter connection	S60x6
IBC adapter female thread	G3/4
IBC Adapter female thread mm	24,66
Male thread at inlet	G3/4
Male thread at inlet mm	26,44
Hose size	3/4"
Hose size ID mm	19
PU units	6
Item no.	30.0044.8

available now

GEKA® plus IBC adapter set ball valve with quick coupling

Advantages / benefits: For mounting on IBC containers with an outlet tap with S60x6 coarse thread
Robust and durable thanks to metal design
Easy installation and alignment of the position thanks to 360° rotatable inner ring
 With ball valve and GEKA® quick coupling for water withdrawal with a hose with GEKA® claw quick coupling

Material: IBC adapter: aluminium; seal: NBR; set ball valve housing: brass chrome-plated; set ball valve lever: steel galvanised; coupling: brass

Scope of delivery: 1 x IBC adapter; 1 x coupling; 1 x GEKA® thread pieces

Packaging: Single product in PE pouch with euro holes, packaging unit with blister strip



IBC adapter connection	S60x6
IBC adapter female thread	G3/4
IBC adapter female thread mm	24,66
Male thread	G3/4
Male thread mm	26,44
Female thread	G3/4
Female thread mm	24,66
PU units	6
Item no.	30.0045.8

available now

GEKA® plus spare part set IBC adapter

Advantages / benefits: Flat seal for replacement with GEKA® plus IBC adapter S60x6 (item no. 30.0040.8) and all GEKA® plus IBC adapter sets

Material: Flat seal: NBR

Scope of delivery: 2 x flat seal for S60x6; 2 x flat seal for female thread G3/4

Packaging: Single product in PE pouch with euro holes, packaging unit with blister strip



PU units	5
Item no.	30.0046.8

