



PROMOTIONS 2025

Display IBC adapter sets

Quantity	Item no.	Description
1 x	99.1175	Basis display
4 x	99.1178	Double hook with stopper
1 x	99.1225	Top poster IBC adapter
8 x	99.1227	Retrofit adapter for single hooks
8 x	99.1228	Pendulum clip for perforated wall
12 x	30.0040.8	IBC adapter
6 x	30.0041.8	IBC adapter set grommet
6 x	30.0042.8	IBC adapter set quick coupling
6 x	30.0043.8	IBC adapter set set plug
6 x	30.0044.8	IBC adapter set ball bibcock
6 x	30.0045.8	IBC adapter set ball valve with quick coupling
10 x	30.0046.8	Spare part set IBC adapter

Promotion Display



GEKA® plus IBC adapter

Advantages / benefits: For mounting on IBC containers with an outlet tap with S60x6 coarse thread

Robust and durable thanks to metal design
Easy installation and alignment of the position thanks to 360° rotatable inner ring

Material: IBC adapter: aluminium; flat seal: NBR

Scope of delivery: 1 x IBC adapter

Packaging: Single product in PE pouch with euro holes, packaging unit with blister strip



IBC adapter connection	S60x6
IBC adapter female thread	G3/4
IBC adapter female thread mm	24,66
PU units	6
Item no.	30.0040.8

GEKA® Promotions 2025

GEKA® plus IBC adapter set grommet

Advantages / benefits: For mounting on IBC containers with an outlet tap with S60x6 coarse thread
Robust and durable thanks to metal design
Easy installation and alignment of the position thanks to 360° rotatable inner ring
 With grommet for water withdrawal with a hose

Material: IBC adapter: aluminium; flat seal: NBR; grommet: brass

Scope of delivery: 1 x IBC adapter; 1 x GEKA® 1/3-threaded hose fitting

Packaging: Single product in PE pouch with euro holes, packaging unit with blister strip



IBC adapter connection	S60x6
IBC adapter female thread	G3/4
IBC adapter female thread mm	24,66
Grommet male thread	G3/4
Grommet male thread mm	26,44
Hose size	3/4"
Hose ID mm	19
PU units	6
Item no.	30.0041.8

GEKA® plus IBC adapter set quick coupling

Advantages / benefits: For mounting on IBC containers with an outlet tap with S60x6 coarse thread
Robust and durable thanks to metal design
Easy installation and alignment of the position thanks to 360° rotatable inner ring
 With GEKA® coupling for water withdrawal with a hose with GEKA® claw coupling

Material: IBC adapter: aluminium; flat seal: NBR; quick coupling: brass

Scope of delivery: 1 x IBC adapter; 1 x GEKA® threaded fitting

Packaging: Single product in PE pouch with euro holes, packaging unit with blister strip



IBC adapter connection	S60x6
IBC adapter female thread	G3/4
IBC adapter female thread mm	24,66
Quick coupling male thread	G3/4
Quick coupling male thread mm	26,44
PU units	6
Item no.	30.0042.8

GEKA® plus IBC adapter set plug

Advantages / benefits: For mounting on IBC containers with an outlet tap with S60x6 coarse thread
Robust and durable thanks to metal design
Easy installation and alignment of the position thanks to 360° rotatable inner ring
 With plug for water withdrawal with a hose with plug-in system

Material: IBC adapter: aluminium; flat seal: NBR; plug: brass, chrome-plated

Scope of delivery: 1 x IBC adapter; 1 x device plug

Packaging: Single product in PE pouch with euro holes, packaging unit with blister strip



IBC adapter connection	S60x6
IBC adapter female thread	G3/4
IBC adapter female thread mm	24,66
Plug male thread	G3/4
Plug male thread mm	26,44
PU units	6
Item no.	30.0043.8

GEKA® Promotions 2025

GEKA® plus IBC adapter set ball bibcock

Advantages / benefits:For mounting on IBC containers with an outlet tap with S60x6 coarse thread
Robust and durable thanks to metal design
Easy installation and alignment of the position thanks to 360° rotatable inner ring
 With ball bibcock for direct water withdrawal or for use with a hose

Material:IBC adapter: aluminium; seal: NBR; ball bibcock housing: brass chrome-plated; ball bibcock lever: aluminium

Scope of delivery:1 x IBC adapter; 1 x ball bibcock

Packaging:Single product in PE pouch with euro holes, packaging unit with blister strip



IBC adapter connection	S60x6
IBC adapter female thread	G3/4
IBC Adapter female thread mm	24,66
Male thread at inlet	G3/4
Male thread at inlet mm	26,44
Hose size	3/4"
Hose size ID mm	19
PU units	6
Item no.	30.0044.8

GEKA® plus IBC adapter set ball valve with quick coupling

Advantages / benefits:For mounting on IBC containers with an outlet tap with S60x6 coarse thread
Robust and durable thanks to metal design
Easy installation and alignment of the position thanks to 360° rotatable inner ring
 With ball valve and GEKA® quick coupling for water withdrawal with a hose with GEKA® claw quick coupling

Material:IBC adapter: aluminium; seal: NBR; set ball valve housing: brass chrome-plated; set ball valve lever: steel galvanised; coupling: brass

Scope of delivery:1 x IBC adapter; 1 x coupling; 1 x GEKA® thread pieces

Packaging:Single product in PE pouch with euro holes, packaging unit with blister strip



IBC adapter connection	S60x6
IBC adapter female thread	G3/4
IBC adapter female thread mm	24,66
Male thread	G3/4
Male thread mm	26,44
Female thread	G3/4
Female thread mm	24,66
PU units	6
Item no.	30.0045.8

GEKA® plus spare part set IBC adapter

Advantages / benefits:Flat seal for replacement with GEKA® plus IBC adapter S60x6 (item no. 30.0040.8) and all GEKA® plus IBC adapter sets

Material:Flat seal: NBR

Scope of delivery:2 x flat seal for S60x6; 2 x flat seal for female thread G3/4

Packaging:Single product in PE pouch with euro holes, packaging unit with blister strip



PU units	5
Item no.	30.0046.8



GEKA® drip system - Secondary Placement Display

The whole GEKA® Drip System on Display on a europalett.

Sturdy metal

Fully assembled and delivered ready-for-use

Color coding system for easy orientation

Large communication area with sample applications and QR-Code to tutorial Videos



Quantity	Item no.	Description
12 x	17.0110.8	Watering set, balcony and terrace
12 x	17.0111.8	Watering set, vegetables and flower beds
12 x	17.0112.8	Supply pipe 6 mm
6 x	17.0113.8	Drip tube 6 mm
18 x	17.0114.8	Pipe support 6 mm
15 x	17.0115.8	Inline drip tube 6 mm
18 x	17.0116.8	Pipe connector set 6 mm
10 x	17.0117.8	Pressure reducer set 6 mm
5 x	17.0120.9	Watering set, hedges and flower beds
2 x	17.0121.9	Supply pipe 16 mm
4 x	17.0122.9	Drip tube 16 mm
15 x	17.0123.8	Pipe support 16 mm
10 x	17.0124.8	Pipe connector Set 16 mm
10 x	17.0125.8	Pressure reducer set 16 mm
4 x	17.0101.8	Water timer
4 x	17.0102.8	Water computer
4 x	17.0103.8	Water computer digital
10 x	46.0435.8	GEKA® plus two-way valves vertical with male thread



Here you find tutorials of our drip watering sets

GEKA® plus professional cleaning guns

Advantage / benefit:	<p>consumes approx. 25% less water and features a higher cleaning power compared to conventional cleaning guns suitable for drinking water, as the water-conducting components meet the German drinking water ordinance</p> <p>robust brass/stainless steel combination guarantees long service life</p> <p>Ergonomic design for fatigue-free work the rubber-coated grip insulates against cold and heat and absorbs impacts the EPDM rubber coating is resistant to acids and alkalis</p> <p>easy adjustment of the jet spray via a rotary knob – no tools required</p> <p>locking catch on the control lever facilitates continuous operation</p>
Material:	housing: brass; valve insert: stainless steel; rubber coating: EPDM, blue
Operating pressure:	max. 30 bar
Temperature range:	max. 50 °C
Seal:	seals for drinking water, DIN EN 16421 and KTW BWGL
Jet type:	infinitely adjustable jet, from concentrated jet to soft spray by means of depressing the ergonomic control lever at different forces
Area of application:.....	perfect for cleaning industrial, commercial and agricultural applications
Special note:.....	.23.1890.9 suitable for all GEKA® plus thread pieces and swivel joints with G1/2 male thread
Weight:.....	approx. 800 g

Female thread in mm	19,17
Female thread	G1/2
Flow volume at 3 bar l/min	17
Flow volume at 5 bar l/min	21
Item no.	23.1890.9



product video



Counter display

Quantity	Item no.	Description
1 x	23.1893	Counter display english with 5 cleaning guns
1 x	23.1892	Counter display german with 5 cleaning gun
1 x	23.1894	Counter display french with 5 cleaning guns



GEKA® plus drinking water set, caravan

Promotion Display



- Advantage / benefit: **suitable for drinking water as all components are DVGW-certified perfectly hygienic filling** of drinking water tank from the dispenser to the filling spout
the set is preassembled and comes in a practical storage bag
- Area of application: **ideal companion for the caravan, e.g. for filling the drinking water tank**
- Material: GEKA® plus push-fit connector system drinking water components:
 brass, DIN 17660 and 50930/6; hose: PE
- Scope of delivery: 5 m drinking water hose Rauaqua 1/2"; 2 x GEKA® plus hose piece 1/2"; 2 x GEKA® plus sealing plug;
 1 x GEKA® plus tap plug 3/4"; 1 x storage bag with zip
- Options: can be expanded with GEKA® plus push-fit connector system drinking water components

Packaging	in a bag	in a bag
Hose ID mm	13	13
Hose size	1/2"	1/2"
Hose length m	5	10
PU unit	1	1
Item no.	46.1831.9	46.1833.9



Display Caravan-Sets

Quantity	Item no.	Description
1 x	99.1175	Basic display
1 x	99.1176	Hook for mounting caravan set
1 x	99.1177	Single hook with stopper
1 x	99.1179	Top poster caravan set
2 x	99.1227	Retrofit adapter for single hooks
2 x	99.1228	Pendulum clip for perforated wall

Mounting suggestion - 5 m

Quantity	Item no.	Description
6 x	46.1831.9	GEKA® plus drinking water set 5 m

Mounting suggestion - 10 m

Quantity	Item no.	Description
6 x	46.1833.9	GEKA® plus drinking water set 10 m

Mounting suggestion - 5 and 10 m

Quantity	Item no.	Description
3 x	46.1831.9	GEKA® plus drinking water set 5 m
3 x	46.1833.9	GEKA® plus drinking water set 10 m

GEKA® plus tree irrigation set

Advantage / benefit: **water saving up to 70%**
laying above ground and underground possible
sustainable use of recycled materials
UV-resistant, weather- and ozone-resistant,
algae-free and phthalate-free
 the perl hose can be shortened or extended with GEKA® push-fit connector system components


Area of application: **tree irrigation set for water-saving irrigation of individual trees and bushes in dry periods**
also perfect for new plantings, when the roots are not yet firmly anchored in the soil
prevents soil erosion on a hillside thanks to metered water delivery

Material: perl hose: recycled plastic; GEKA® plus push-fit connector system components: brass, chrome-plated;
 hose clamp: stainless steel

Temperature range: approx. +4 °C to +50 °C

Options: hose piece with ball valve (46.0851.8) for regulating the amount of water (not included in the scope of delivery)

Promotion Display



Packaging	Single product on card, packaging unit with blister strip
Hose ID mm	13
Hose size	1/2"
Hose length m	1.5
Tree diameter max. cm	40
Water flow at 0.6 bar l/h	6-12
PU unit	5
Item no.	17.1010.8

Display tree irrigation sets

Quantity	Item no.	Description
1 x	99.1175	Basic display
3 x	99.1177	Single hook with stopper
1 x	99.1180	Top poster tree irrigation
20 x	17.1010.8	GEKA® plus tree irrigation set

Display rain barrel sets



Quantity	Item no.	Description
1 x	99.1175	Basic display
4 x	99.1178	Double hook with stopper
1 x	99.1181	Top poster rain barrel sets
8 x	99.1227	Retrofit adapter for single hooks
8 x	99.1228	Pendulum clip for perforated wall
6 x	30.0024.8	Rain barrel connection set grommet
6 x	46.8126.8	Rain barrel connection set Design 3/4"
6 x	35.3509.8	Rain barrel connections set 1/2"
6 x	35.3510.8	Rain barrel connections set 3/4"
6 x	35.3507.8	Ball bibcock set G1/2
6 x	35.3508.8	Ball bibcock set G3/4
6 x	30.0030.8	Rain barrel connector set
6 x	30.0025.8	Rain barrel connection set grommet 90°

GEKA® Promotions 2025

GEKA® rain barrel connection set grommet

Advantage / benefit: **for installation at rain barrels**
 Material:.....rain barrel connection: brass; hose clamp: stainless steel,
 hexagon screw: steel chromated; thread tape: Teflon
 Scope of delivery:..... 1 x rain barrel connection; 1 x 1/3 threaded hose fitting;
 1 x hose clamp; 1 x thread tape

Packaging	Single product in PE pouch with euro holes, packaging unit with blister strip	
for hole diameter mm	34 - 37	
Male thread in mm	33.25	
Male thread	G1	
Hose ID mm	25	
Hose size	1"	
PU unit	6	
Item no.	30.0024.8	



GEKA® plus rain barrel connection set Design 3/4"

Advantages / benefits:..... **For installation at rain barrels;**
 Ideal for use in gardens, on terraces, on balconies, for
 discerning design-orientated customers
 Material:.....Design tap and rain barrel connection: chrome-plated
 brass; threaded band: Teflon
 Scope of delivery:..... 1x rain barrel connection chromed, Design water tap 3/4"
 with grommet, 1x Sealing tape roll

Packaging	Single product in PE pouch with euro holes, packaging unit with blister strip	
for hole diameter mm	34 - 37	
Rain barrel connection male thread mm	33,25	
Rain barrel connection male thread	G1	
Rain barrel connection female thread mm	24,66	
Rain barrel connection female thread	G3/4	
Male thread at inlet mm	26,44	
Male thread at inlet	G3/4	
Male thread at outlet mm	33,25	
Male thread at outlet	G1	
Nominal width (NW) mm	19	
Nominal size	3/4"	
PU units	6	
Item no.	46.8126.8	



GEKA® rain barrel connections set

Advantages / benefits:..... **For installation at rain barrels**
 Ideal for the provision of large amounts of water
 Material:.....Ball bibcock housing: brass nickel-plated; ball bibcock
 lever: aluminium; rain barrel connection: brass; strainer:
 fine-meshed fabric: stainless steel, flange and thread:
 plastic nylon; sealing tape roller: Teflon
 Scope of delivery: 1 x ball bibcock; 1 x rain barrel connection; 1 x strainer;
 1 x sealing tape roller
 Packaging:Single product in PE pouch with euro holes, packaging
 unit with blister strip

For hole diameter mm	27 - 30	34 - 37
Rain barrel connection male thread	G3/4	G1
Rain barrel connection male thread mm	26,44	33,25
Rain barrel connection female thread	G1/2	G3/4
Rain barrel connection female thread mm	19,17	24,66
Male thread at inlet	G1/2	G3/4
Male thread at inlet mm	20,95	26,44
Male thread at outlet	G3/4	G1
Male thread at outlet mm	26,44	33,25
Nominal size	1/2"	3/4"
Nominal width (NW) mm	13	19
PU unit	6	6
Item no.	35.3509.8	35.3510.8



GEKA® ball bibcock set



Advantage / benefit: **for installation at rain barrels**
ideal for the provision of large amounts of water

Material:..... ball bibcock housing: brass nickel-plated;
ball bibcock lever: aluminium; rain barrel connection:
brass; thread tape: Teflon

Scope of delivery:..... 1 x ball bibcock; 1 x thread tape

Packaging	Single product in PE pouch with euro holes, packaging unit with blister strip	Single product in PE pouch with euro holes, packaging unit with blister strip
Male thread at inlet mm	20.95	26.44
Male thread at inlet	G1/2	G3/4
Male thread at outlet mm	26.44	33.25
Male thread at outlet	G3/4	G1
Nominal width (NW) mm	13	19
Nominal size	1/2"	3/4"
PU unit	6	6
Item no.	35.3507.8	35.3508.8

GEKA® rain barrel connector set



Advantage / benefit: **for connecting rain barrels**

Material:..... suction/pressurised spiral hose: plastic PVC green;
rain barrel connection: brass; hose clamps: stainless steel,
hexagon screw: steel chromated

Scope of delivery:..... 1 x 25 cm suction/pressurised spiral hose 1";
2 x rain barrel connection IG 3/4 x AG1; 2 x 2/3 threaded
hose fitting IG G1; 2 x hose clamps 20-32 mm

Packaging	Single product in PE pouch with euro holes, packaging unit with blister strip
for hole diameter mm	34 - 37
Male thread in mm	33.25
Male thread	G1
Hose ID mm	25
Hose size	1"
Hose length approx. m	0.25
PU unit	6
Item no.	30.0030.8

GEKA® rain barrel connection set grommet 90°



Advantage / benefit: **for installation at rain barrels**

Material:..... rain barrel connection: brass; hose clamp:
stainless steel, hexagon screw: steel chromated;
thread tape: Teflon

Scope of delivery:..... 1 x rain barrel connection; 1 x angular piece 90°;
1 x 1/3 threaded hose fitting; 1 x hose clamp;
1 x thread tape

Packaging	Single product in PE pouch with euro holes, packaging unit with blister strip
for hole diameter mm	34 - 37
Male thread in mm	33,25
Male thread	G1
Hose ID mm	25
Hose size	1"
PU unit	6
Item no.	30.0025.8

Water sustainably.

With the GEKA® plus rain barrel sets.



 **GEKA**®



Ideal for resource-saving watering your garden.



Display pillar push-fit connector system



Quantity	Item no.	Description
1 x	99.1173	Display pillar with 4 compartments incl. 4 dividers
6 x	99.1183	Stones for weighing down

Mounting suggestion – push-fit connector system nickel-plated

Quantity	Item no.	Description
50 x	46.0701.9	GEKA® plus hose piece push-fit system 1/2"
50 x	46.0713.9	GEKA® plus tap plug push-fit system G1
10 x	46.0740.9	GEKA® plus gun-type spray nozzle push-fit system
50 x	46.0711.9	GEKA® plus tap plug push-fit system G3/4
50 x	46.0741.9	GEKA® plus hose piece push-fit system 1/2"
10 x	46.0431.9	GEKA® plus two-way valve push-fit system
50 x	46.0710.9	GEKA® plus tap plug push-fit system G1/2
5 x	17.0000.9	Multi-shower 7 S

Mounting suggestion – push-fit connector system chrome-plated

Quantity	Item no.	Description
50 x	46.0801.9	GEKA® plus hose piece push-fit system 1/2"
50 x	46.0813.9	GEKA® plus tap plug push-fit system G1
10 x	46.0740.9	GEKA® plus gun-type spray nozzle push-fit system
50 x	46.0811.9	GEKA® plus tap plug push-fit system G3/4
50 x	46.0841.9	GEKA® plus hose piece push-fit system 1/2"
10 x	46.0431.9	GEKA® plus two-way valve push-fit system
50 x	46.0810.9	GEKA® plus tap plug push-fit system G1/2
5 x	17.0000.9	Multi-shower 7 S




Boiler filling set

Area of application:..... **for refilling and emptying the water in boilers**
 Scope of delivery:..... 5 m GEKA® flex water hose, 1/2" (13 mm) with fabric insert
 2 x GEKA® 2/3-threaded hose fitting
 2 x Two-ear-clamp
 1 x GEKA® plus wall-mounted hose support P, light metal powder-coated

Packaging	Box
Hose ID mm	13
Hose size	1/2"
Hose length approx. m	5
PU unit	1
Item no.	13.8214.9

*only while stocks last

Gießgeräte Ständer



Watering wand stand Z shape

Quantity	Item no.	Description
1x	99.1125	Stand Z shape incl. hooks
optional with 24 of the following watering wands:		
12x	50.5470.9	Watering wand Easy Rain 20 cm*
12x	50.5471.9	Watering wand Easy Rain 60 cm*
or		
12x	50.5456.9	Watering wand Light 20 cm
12x	50.5455.9	Watering wand Light 60 cm

Watering wand stand U shape

Quantity	Item no.	Description
1x	99.1126	Stand U shape
1x	99.1128	3 hooks
1x	99.1129	4 hooks
optional with 24 of the following watering wands:		
12x	50.5470.9	Watering wand Easy Rain 20 cm*
12x	50.5471.9	Watering wand Easy Rain 60 cm*
or		
12x	50.5456.9	Watering wand Light 20 cm
12x	50.5455.9	Watering wand Light 60 cm



GEKA® Watering wand Light

Advantage / benefit: ... **light watering wand with slide valve** for quantity adjustment for convenient application with soft water spray for gentle **watering using one hand**

Material: watering head, outlet pipe, union nut: light metal; body valve: zinc-aluminium alloy; ergonomic handle: plastic; bayonet catch: brass; push-fit connector: brass, chrome-plated

Packaging	EAN	EAN
Pipe length in cm	20	60
PU unit	1	1
Item no.	50.5454.9	50.5453.9



GEKA® Watering wand Easy Rain

Advantage / benefit: ... **light watering wand with handle valve** for convenient application allows **impulse watering** or with actuated locking mechanism continuous gentle watering of plants with rotary knob for **quantity adjustment**

Material: watering head, outlet pipe, union nut: light metal; body valve: zinc-aluminium alloy; handle: plastic; bayonet catch: brass; push-fit connector: brass, chrome-plated

Packaging	EAN	EAN
Pipe length in cm	20	60
PU unit	1	1
Item no.	50.5470.9	50.5471.9



Sprinkler display quarter-pallet – 3-arm circular sprinkler



Promotion Display



Quantity	Item no.	Description
1x	17.0009.9	Display with 24 x 3-arm circular sprinklers

3-arm circular sprinkler

robust, three-arm circular sprinkler made from metal
very long-lasting thanks to corrosion-resistant chrome-plated parts
series connection of several circular sprinklers with additional connection option
ideal stability in the meadow, field, etc. maximum contact area with round foot
very long-lasting thanks to chrome-plated brass push-fit connector
compatible with all push-fit connector systems available on the market

Sprinkling area at 2 bar max. m ²	79
Sprinkling area ø at 2 bar m	10
Sprinkling area at 4 bar max. m ²	113
Sprinkling area ø at 4 bar m	12
Packaging	Box
PU unit	1
Item no.	17.0005.9

Sprinkler display quarter-pallet – circular and sector sprinkler Multi



Promotion Display



Circular and sector sprinkler Multi

- 4 spray patterns** for different watering
- adjustable jet length**
- watering of circular areas or individually adjustable circle segments**
- series connection** of several circular sprinklers with additional connection option
- ideal stability** in the meadow, field, etc. maximum contact area with round metal foot
- very long-lasting** thanks to chrome-plated brass push-fit connector
- compatible** with all push-fit connector systems available on the market

Sprinkling area at 2 bar max. m ²	3 - 201
Sprinkling area ø at 2 bar m	2 - 16
Sprinkling area at 4 bar max. m ²	7 - 531
Sprinkling area ø at 4 bar m	3 - 26
Packaging	Box
PU unit	1
Item no.	17.0006.9

Quantity	Item no.	Description
1x	17.0010.9	Display with 30 x circular and sector sprinklers Multi



Adjustment of spray type



Adjustment of jet length



Adjustment of watering width



Sprinkler display quarter-pallet – 3-arm circular sprinkler



Promotion Display




Quantity	Item no.	Description
1x	17.0011.9	Display with 24 x rectangular sprinklers

Rectangular sprinkler

robust rectangular sprinkler made from aluminium
brass nozzles
adjustable sprinkling width
quantity adjustment
 incl. pin for nozzle cleaning

Sprinkling area at 3 bar min. m ²	approx. 30* (10 x 3 m)
Sprinkling area at 3 bar max. m ²	approx. 399* (19 x 21 m)
Packaging	Box
PU unit	1
Item no.	17.0008.9

*Depending on the setting of the sprinkling width and (water) amount



GEKA® plus hose trolley P25SST display pallet



Promotion Display



GEKA® plus hose trolley P25SST

Advantage / benefit:**robust, powder-coated steel structure**
light and easy to handle with ergonomic grip height
optimised frame construction for guaranteed secure stand
and easy manoeuvrability
non-slip solid rubber tyres for comfortable transport
practical accessory rack to hold a nozzle
tool-free installation and disassembly of handle for quick and compact storage in winter
quick and simple set-up, no additional tools required
 with GEKA® plus push-fit connectors, inner and outer
with 25 m GEKA® plus water hose 110 1/2", high-quality, robust push-fit system and spray nozzle made from brass + 1.5 m supply hose

Material:frame: powder-coated steel pipe; handrail, tyres: rubber black;
 device mounting, crank handle: plastic green; supply pipe: stainless steel;
 GEKA® plus push-fit connectors: brass, chrome-plated

Temperature range:+4 to +60 °C (hose-dependent)

Dimensions cm:41 x 99 x 39


Special note:preassembled; spare parts are available on request

Connection	GEKA® plus push-fit connector
Hose length approx. m	25
Weight approx. kg	12
PU unit	1
Item no.	42.8506.9





KARASTO Armaturenfabrik Oehler GmbH
Manfred-von-Ardenne-Allee 27
71522 Backnang | Germany

 +49 7191 34 52 - 0

 +49 7191 34 52 - 100

 info@geka.de

 www.geka.de/en

The GEKA® brand is a registered trademark of KARASTO Armaturenfabrik Oehler GmbH, Germany.